



**Safety data sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 30.10.2025

Version number 1

Revision: 30.10.2025

**1 Identification of the substance/mixture and of the company/undertaking**

- **Product identifier**
- **Trade name:** DRIPPER FIX
- **Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Details of the supplier of the safety data sheet** Agam Water Solutions
- **Manufacturer/Supplier:**  
Manufacturer - Bluegen Chemicals  
Supplier - Agam Water Solutions  
Moshav Givat Yeshayahu, Farm 4
- **Further information obtainable from:** Health & Safety
- **Emergency telephone number:**  
Agam Water Solutions  
0545-642428

**2 Hazards identification**

- **Classification of the substance or mixture**



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- **Label elements**

- **GHS label elements**

The product is classified and labelled according to the Globally Harmonised System (GHS).

- **Hazard pictograms** GHS05

- **Signal word** Danger

- **Hazard-determining components of labelling:**  
phosphoric acid

- **Hazard statements**

H314 Causes severe skin burns and eye damage.

- **Precautionary statements**

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

(Contd. on page 2)

**Safety data sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 30.10.2025

Version number 1

Revision: 30.10.2025

**Trade name: DRIPPER FIX**· **vPvB:** Not applicable.

(Contd. of page 1)

### 3 Composition/information on ingredients

- **Chemical characterisation:** Mixtures
- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 7664-38-2	<b>phosphoric acid</b>  <b>Skin Corr. 1B, H314</b> <i>Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25 %</i> <i>Skin Irrit. 2; H315: 10 % ≤ C &lt; 25 %</i> <i>Eye Irrit. 2; H319: 10 % ≤ C &lt; 25 %</i>	$\geq 5\text{--}<10\%$
----------------	--	------------------------

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### 4 First aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**  
Immediately wash with water and soap and rinse thoroughly.  
Immediately rinse with water.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Drink plenty of water and provide fresh air. Call for a doctor immediately.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **Special hazards arising from the substance or mixture**  
During heating or in case of fire poisonous gases are produced.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Mount respiratory protective device.  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Use neutralising agent.  
Dispose contaminated material as waste according to section 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.

(Contd. on page 3)

IL

**Safety data sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 30.10.2025

Version number 1

Revision: 30.10.2025

**Trade name: DRIPPER FIX**

See Section 13 for disposal information.

(Contd. of page 2)

**7 Handling and storage**

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Store in a cool, dry, well ventilated area.  
Protect from direct sunlight.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Specific end use(s)** No further relevant information available.

**8 Exposure controls/personal protection**

- **Additional information about design of technical facilities:** No further data; see section 7.
- **Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes.  
Avoid contact with the eyes and skin.
- **Respiratory protection:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

IL

**Safety data sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 30.10.2025

Version number 1

Revision: 30.10.2025

**Trade name: DRIPPER FIX**

- **Eye protection:**



Tightly sealed goggles

(Contd. of page 3)

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form:	Liquid
Colour:	Colourless
Odour:	Odourless
Odour threshold:	Not determined.

· <b>pH-value at 20 °C:</b>	<2
-----------------------------	----

- **Change in condition**

· <b>Melting point/freezing point:</b>	Undetermined.
· <b>Initial boiling point and boiling range:</b>	100 °C

· <b>Flash point:</b>	Not applicable.
-----------------------	-----------------

· <b>Flammability</b>	Not applicable.
-----------------------	-----------------

· <b>Decomposition temperature:</b>	Not determined.
-------------------------------------	-----------------

· <b>Ignition temperature:</b>	Product is not selfigniting.
--------------------------------	------------------------------

· <b>Explosive properties:</b>	Product does not present an explosion hazard.
--------------------------------	---

- **Explosion limits:**

· <b>Lower:</b>	Not determined.
· <b>Upper:</b>	Not determined.

· <b>Vapour pressure at 20 °C:</b>	23 hPa
------------------------------------	--------

· <b>Density at 20 °C:</b>	1.05 g/cm <sup>3</sup>
----------------------------	------------------------

· <b>Relative density</b>	Not determined.
---------------------------	-----------------

· <b>Vapour density</b>	Not determined.
-------------------------	-----------------

· <b>Evaporation rate</b>	Not determined.
---------------------------	-----------------

· <b>Solubility in / Miscibility with water:</b>	Fully miscible.
--	-----------------

· <b>Partition coefficient: n-octanol/water:</b>	Not determined.
--	-----------------

- **Viscosity:**

· <b>Dynamic:</b>	Not determined.
-------------------	-----------------

· <b>Kinematic:</b>	Not determined.
---------------------	-----------------

· <b>Other information</b>	No further relevant information available.
----------------------------	--

## 10 Stability and reactivity

· <b>Reactivity</b>	No further relevant information available.
---------------------	--

- **Chemical stability**

· <b>Thermal decomposition / conditions to be avoided:</b>	No decomposition if used according to specifications.
--	---

· <b>Possibility of hazardous reactions</b>	No dangerous reactions known.
---	-------------------------------

· <b>Conditions to avoid</b>	No further relevant information available.
------------------------------	--

· <b>Incompatible materials:</b>	No further relevant information available.
----------------------------------	--

(Contd. on page 5)

IL

**Safety data sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 30.10.2025

Version number 1

Revision: 30.10.2025

**Trade name: DRIPPER FIX**

(Contd. of page 4)

- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity**
- **Primary irritant effect:**
- **Skin corrosion/irritation** Caustic effect on skin and mucous membranes.
- **Serious eye damage/irritation**  
Strong caustic effect.  
Strong irritant with the danger of severe eye injury.
- **Respiratory or skin sensitisation** No sensitising effects known.
- **Additional toxicological information:**  
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:  
Corrosive  
Irritant  
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.  
Must not reach sewage water or drainage ditch undiluted or unneutralised.  
Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

(Contd. on page 6)

IL

**Safety data sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 30.10.2025

Version number 1

Revision: 30.10.2025

Trade name: **Dripper Fix**

(Contd. of page 5)

### 14 Transport information

· <b>UN-Number</b>	
· <b>ADR, IMDG, IATA</b>	UN1805
· <b>UN proper shipping name</b>	
· <b>ADR</b>	1805 PHOSPHORIC ACID, SOLUTION
· <b>IMDG, IATA</b>	PHOSPHORIC ACID, SOLUTION
· <b>Transport hazard class(es)</b>	
· <b>ADR</b>	
	
· <b>Class</b>	8 (C2) Corrosive substances.
· <b>Label</b>	8
· <b>IMDG, IATA</b>	
	
· <b>Class</b>	8 Corrosive substances.
· <b>Label</b>	8
· <b>Packing group</b>	
· <b>ADR, IMDG, IATA</b>	III
· <b>Environmental hazards:</b>	Not applicable.
· <b>Special precautions for user</b>	Warning: Corrosive substances.
· <b>Hazard identification number (Kemler code):</b>	80
· <b>Emergency Action Code (EAC)</b>	2R
· <b>EMS Number:</b>	F-A,S-B
· <b>Segregation groups</b>	(SGG1) Acids
· <b>Stowage Category</b>	A
· <b>Segregation Code</b>	SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides
· <b>Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>ADR</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>Transport category</b>	3
· <b>Tunnel restriction code</b>	E
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>UN "Model Regulation":</b>	UN 1805 PHOSPHORIC ACID, SOLUTION, 8, III

IL

(Contd. on page 7)

**Safety data sheet**  
**according to Regulation (EC) No 1907/2006, Article 31**

Printing date 30.10.2025

Version number 1

Revision: 30.10.2025

**Trade name: DRIPPER FIX**

(Contd. of page 6)

### **15 Regulatory information**

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **National regulations:**
- **Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### **16 Other information**

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

- **Department issuing SDS:** Agam Water Solutions

- **Contact:**

Agam Water Solutions  
 Moshav Givat Yeshayahu, Farm 4  
 0545-642428

- **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

IL